ACTIVITY

Galileo Measures a Mountain—On the Moon!

lar landscapes in his native Europe.

In 1610, Italian astronomer Galileo Galilei created a sensation with the publication of *The Starry Messenger*, an account of his many celestial discoveries with the telescope. Among his observations was a survey of features on the surface of the Moon. He believed that the Moon was another world, like Earth, even comparing mountainous lunar regions to simi-

One sight in particular captured Galileo's attention, as he relates in his book and its accompanying sketches (**Figure 12-1**):

[Not] only are the boundaries of light and shadow in the Moon seen to be uneven and sinuous, but—and this produces still greater astonishment—there appear very many bright points within the darkened portion of the Moon, altogether divided and broken off from the illuminated tract.... Now, is it not the case on the Earth before sunrise, that while the level plain is still in shadow, the peaks of the most lofty mountains are illuminated by the Sun's rays?




Figure 12-1 Galileo's sketches of the Moon.

Images courtesy History of Science Collections, University of Oklahoma Libraries; copyright the Board of Regents of the University of Oklahoma.

In other words, Galileo believed he saw mountain peaks in the dark portion of the Moon that were so tall that their tops were illuminated by the Sun. In this activity, you will follow Galileo's own simple geometric method to estimate the height of these lunar mountains.

The right-hand image in Figure 12-1 shows Galileo's sketch of the first-quarter Moon, with sunlight shining on it from the right. Several illuminated mountain peaks appear as white specks within the Moon's dark half. Now imagine rotating the Moon, as depicted here, around a horizontal axis until we see one of these illuminated peaks from the side. Then the Moon would appear as Galileo drew it in **Figure 12-2**, with the right-hand hemisphere in sunlight, the left-hand hemisphere in darkness. The base of the mountain is located at point **A** and the top at point **D**. Use your imagination or your pencil to fill in the form of the mountain itself. Figure 12-2 is a hypothetical "sideways" view of the Moon from somewhere in outer space. Our actual "face-on" viewpoint from Earth is indicated by the vertical arrow labeled "our view."




Figure 12-2
Geometry of an illuminated mountain.

- **1.** Use the letter labels in Figure 12-2 to fill in the blanks below and on your worksheet. Points are indicated by a single letter, line segments always by a pair of letters, and angles always by three letters.
 - **a.** The letter _____ indicates the Moon's center.
 - **b.** Segments ______, and _____ are each a radius of the Moon.
 - **c.** Segment _____ represents a mountain whose top is at point **D**.
 - **d.** Segment _____indicates the beam of sunlight that touches, at point *C*, the boundary between the Moon's light and dark halves—technically, the *terminator*—and illuminates the mountain.

- 2. In Figure 12-2, Galileo found a right triangle of interest: triangle ECD. Again, use the letter labels in Galileo's diagram to fill in the blanks below regarding statements about triangle ECD.
 a. Angle ______ is the right angle.
 b. Side ______ is a lunar radius, about 1080 miles.
 - **c.** Side ______ is the distance from the terminator to the illuminated mountain peak, as seen from Earth.
 - **d.** Side _____ is the triangle's hypotenuse.
 - **e.** This hypotenuse encompasses the sum of two segments: another lunar radius, segment ______, plus the height of the mountain, segment ______.
- **3.** In *The Starry Messenger*, Galileo wrote that the illuminated peaks appeared as far as ½0 of the Moon's diameter from the terminator. (a) Given that the Moon's diameter is 2160 miles, compute how far into the Moon's dark side these illuminated peaks were situated, according to Galileo. (b) To which side of the right triangle **ECD** does this answer correspond?
- **4.** Galileo now applied the Pythagorean Theorem for right triangles: the square of the hypotenuse is equal to the sum of the squares of the sides, or $(hypotenuse)^2 = (side a)^2 + (side b)^2$. Using your answers to Parts 2(b), 2(c) and 2(d), write down the Pythagorean Theorem for the right triangle **ECD**.
- **5.** Using the numerical values from Parts 2(b) and 3, solve the Pythagorean Theorem equation for the hypotenuse of triangle **ECD**.
- **6.** Since the hypotenuse encompasses the sum of a lunar radius plus the height of the mountain, subtract a lunar radius from your answer to Part 5 to obtain the height of the mountain itself. In fact, your answer represents the minimum height of lunar mountains; they must be *at least* this tall to poke up into the sunlight.
- **7. (a)** Compare the height of lunar mountains to that of mountains on Earth. Your answer must include a direct number comparison. If you don't know how high mountains on Earth are, ask someone or look it up. **(b)** Do you agree with Galileo's stated conclusion that lunar mountains are *several times* taller than the highest mountains on Earth?
- **8.** Having found that the Moon is so rugged, Galileo had to explain why the edge, or *limb*, of the Moon nonetheless appears round and smooth instead of jagged. He proposed that, when looking at the limb of the Moon, an observer sees successively more distant mountains in the gaps between nearer mountains. Explain how this might make the Moon's limb appear round and smooth. Feel free to sketch a picture to support your explanation. (Galileo also suggested that the Moon's atmosphere blurs the ruggedness of the landscape, making it look more regular than it is. In this he was wrong; the Moon has no atmosphere.)

NAME ____

WORKSHEET
ACTIVITY

Galileo Measures a Mountain—On the Moon!

For credit, you must show all your work.



2. (a) _____ (b) ____ (c) ____ (d) ____ (e) ____,

3. (a) _____ miles (b) ____

4. of that the star Gamma Draconis executes an annual wobble of approximately six thou-

As small as 0 006 degree might seem, Bradley decided that it was too large to be the long
5.pht parallax effect. A 0.006-degree parallax would have implied that Gamma Draconis

188 much closer to learn to have the property of the large to be Also Gamma Draconists.

this velocity, not from its changing position around the mutt. Drawn miles

Stellar aberration has a number of everyday analogues. For example, when running through

16. rain were falling, not straight down, but at an angle. Or when driving through the rain, the watery streaks on a car's side window are not vertical, but angled, in both cases, the

he illusion of an angled minfall. Similarly the velocity of the rain to miles

7. (a					o Measu ain—Oi	
)		or credit, you must show all your work.			
8 _ _ _		(b)	(c)	- 1	(d)	(s) .I